REPORT DOCUMENTATION PAGE

Form Approved

OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and raintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Collection of Information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Collection Services, Directorate for Information, No. 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY (Leave blank)

2. **REPORT DATE** 09/16/95 3. REPORT TYPE AND DATES COVERED

Final Report - 5/15/92 - 5/14/95

4. TITLE AND SUBTITLE

08:39

Biomimicking: Electro-Elastic Structural Speciality in Auditory Receptor Cells

F49620-92-J-00276

6. AUTHOR(5)

Charles R. Steele, Pl

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

Valerie M.G. Mallace Senior Contract Officer Stanford Junior University 125 Panama, Jordan Quad/Birch, Stanford, CA 94305-4125

8. PERFORMING ORGANIZATION REPORT NUMBER

SPO No: 10248

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)

Walter F. Jones AFOSR/NA 110 Duncan Avenue, Suite B115 Bolling AFB, DC 20332-0001 10. SPONSORING / MONITORING AGENCY REPORT NUMBER

118119951

11. SUPPLEMENTARY NOTES

12a. DISTRIBUTION / AVAILABILITY STATEMENT

12b. DISTRIBUTION CODE

Approved for public release
Distribution Unfimited

13. ABSTRACT (Maximum 200 words)

A recent discovery is that certain receptor cells in the cochlea in the inner ear undergo displacement due to an electric field, for frequencies as high as 25 kHz in the guinea pig. In the hearing process, these cells are likely to provide the important feedback mechanism for the enhancement of low amplitude sound. Part is due to the unique microstructural design of the wall of the cell, consisting of a passive elastic cytoskeleton and an isotropic piezoelectric membrane. Using measurements from several laboratories permitted the calculation of the orthotropic piezoelectric properties of the wall. With our measurements, the elastic moduli of the protein components in the cytoskeleton were determined. Computations of the dynamic response of the whole cell containing and immersed in a viscous fluid agree fairly well with experiments. Despite the small cell size, small in comparison with the viscous boundary layer, the orthotropic design permits the cell to delivery significant force with low electric signal at auditory frequencies. Possible application of the design to devices is being

pursued.

14. SUBJECT TERMS

Auditory, hail cell, piezoelectric, cytoskeleton

15. NUMBER OF PAGES

16. PRICE CODE

17. SECURITY CLASSIFICATION
OF REPORT
- 20 --

18. SECURITY CLASSIFICATION OF THIS PAGE

19. SECURITY CLASSIFICATION
OF ABSTRACT

20. LIMITATION OF ABSTRACT

NSN 7540-01-280-5500

Standard Form 298 (Rev 2-89) Proscribed by ANSI Std 239-18 298-102 Principal Investigator: C.R. Steele

STANFORD UNIVERSITY DEPARTMENT OF MECHANICAL ENGINEERING

Charles R. Steele Division of Applied Mechanics Durand Building Stanford University Stanford, California 94305 (415) 723-2844 FAX (415) 725-3377

AFOSR-TR-95

0657

Dr. Walter F. Jones
Program Manager
Directorate of Aerospace Sciences
AFOSR/NA, Bldg. 410
Bolling Air Force Base
Washington, DC 20332-6448
Tel: 202-767-0470

Tel: 202-767-0470 FAX: 202-767-4988

REF: Biomimicking: Electro-Elastic Structural Speciality in Auditory

Receptor Cells

F49620-92-J-00276 Period: 05/15/92- 05/14/95

September 16, 1995

Dear Dr. Jones,

In response to your Fax, dated 14 September 1995, I am enclosing three additional copies of the one-page final report on this project along with the completed Form 298.

Sincerely yours,

Charles R. Steele

Professor of Applied Mechanics

19951017 034

REF: Biomimicking: Electro-Elastic Structural Speciality in Auditory

Receptor Cells

Period: 05/15/92- 05/14/95 F49620-92-J-00276

A. Researchers working on contract/grant

Faculty: Charles R. Steele, PI, Professor, Mech. Eng., Stanford University

Postdocs: None

Tolomeo, Jason, Doctorial Candidate, Mech. Eng., US citizen Graduate Students:

Zetes, Deborah E., Doctorial Candidate, Mech. Eng., US citizen

Gary Baker, Doctorial Candidate Mech. Eng., US citizen Other (Work closely related to project, supported under NIH)

B. Articles in peer-reviewed publications

J.A. Tolomeo and C.R. Steele (1995). "Orthotropic piezoelectric properties of the cochlear outer hair cell wall", J. Acous. Soc. Am., 95 (5), 3006-3011.

Other publications:

C.R. Steele and G. Baker (1993). "Hydroelastic waves in the cochlea", in Proceedings, Symposium in Honor of Holt Ashley, Stanford University.

C.R. Steele, G. Baker, J. Tolomeo, and D. Zetes (1995). "Cochlear Mechanics", in Biomechanics Section, D.J. Schneck, assoc. ed., CRC Biomedical Engineering Handbook, CRC Press, Boca Raton.

C.R. Steele (1995). "Three-dimensional computation of the cochlea", Proceedings of the British Physiological Society, Meeting in Keele, England.

In review:

G. Baker and C.R. Steele (1995). "Feedforward of energy in waves on the cochlear partition", submitted for publication.

J.A. Tolomeo, M. Holley, and C.R. Steele (1995). "Mechanical properties of the cochlear

outer hair cell wall", submitted for publication.

D.N. Furness, D.E. Zetes, C.M. Hackney, and C.R. Steele (1995). "Kinematic analysis of shear displacement as a means for operating mechanotransduction channels in the contact region between adjacent stereocilia of mammalian cochlear hair cells", submitted for publication.

Not directly related to project:

Yeh-Liang Hsu, Charles R. Steele, and Sheri D. Sheppard (1994). "Fully stressed thickness profile design at discontinuities of axisymmetric shells", Structural Optimization, 7(3), 199-205.

S. Roberts, T.M. Hutchinson, S.B. Arnaud, B.J. Kiratli, R.B. Martin, C.R. Steele (1994). "Non-Invasive determination of bone mechanical properties using vibration response: a refined model and validation in vivo", J. Biomechanics, in press.

Y.-C. Fu and C.R. Steele (1995). "Fourier series solution for the Dugdale crack in a

cylindrical shell", J. Appl. Mech., 62(2) 533-535.

C.R. Steele, J.A. Tolomeo, and D.E. Zetes, (1995). "Shell Analysis", in Handbook of Shock and Vibration Computer Programs., W.D. Pilkey, ed., in press.

C.R. Steele, J.A. Tolomeo, and D.E. Zetes, (1995). "Dynamic Analysis of Shells",

Journal of Shock and Vibration, in press.

C. Honors and Awards

In this time period:

Elected member American Academy of Engineering, 1995. From Germany, Humboldt Senior Fellowship Award, 1994.

Fellow, ASME 1980 Prior.

Citation: PVP Division of ASME 1982 Fellow, Amer. Acad. Mech. 1985

Citation: NASA 1987

NIH Claude Pepper Award 1988.

President, Amer. Acad. Mech. 1989-90

•	
Accession For	: %
MTIS GRA&I	प्र
DITO TAR	П
Un amoumoeá	
Justification_	
Distribution (Podes
åvail and	100
fist Special	
	•
	•
	* .